CAPSULE SUMMARY
BA-2398
Crout House
909 Old Harris Mill Road
Parkton, Baltimore County
1892
Private

The Crout House is located at 909 Old Harris Mill Road in Maryland Line in the Seventh District of Baltimore County. An inscription on a door of the house reads, "Built 1892 by C. & W. Crout." The 1915 Bromley Atlas confirms the continued residence of the Crout family, listing L. Crout as the occupant. The town of Maryland Line was settled in the late 18<sup>th</sup> century as New Market. Since the early 20<sup>th</sup> century, however, that name has fallen out of use in preference for the name of Maryland Line, after the area post office and its location near the Pennsylvania line. The town was laid out along the York Road corridor, with the majority of its residential and commercial structures fronting that road. There appears to have been little industry in and around the town. Records indicate that there existed only one gristmill west of the town along the Gunpowder Falls in the late 19<sup>th</sup> century, yet there were at least fourteen houses by 1877 in this small community south of the Pennsylvania line. The importance of the town, therefore, was as a travelers stop along the turnpike.

The wood frame Queen Anne-style dwelling faces west towards the Interstate 83. It is sited on a large sloping property surrounded by fields, mature trees, wood rail fences, and landscaping around the house. The single-family dwelling rises two-and-a-half stories in height, rests on a solid random rubble foundation, and is five bays wide with two interior-end brick corbeled cap chimneys. A shed roof porch covers the center three bays including the central entrance and is supported with turned wood posts. The porch is detailed with spindlework and scroll-sawn brackets. The entry contains a single-leaf wood door with arched molded panels. The entrance is illuminated with 3-light sidelights over a dado panel and a 3-light transom. The first story is pierced with four elongated 4/4 double-hung wood sash replacement windows. The second story contains five 2/2 double-hung wood sash windows, and the upper story has a cross gable roof which is lighted with a lancet-arched 2/2 double-hung wood sash window. The gables are clad with fishscale wood shingles. The side gable roof features overhanging eaves, a boxed cornice encased with aluminum, and is clad with standing-seam metal. Several one-story additions have been made to the side elevation. Two historic outbuildings, five non-historic outbuildings and one non-historic well enhance this property.

#### Inventory No. BA-2398

# Maryland Historical Trust Maryland Inventory of Historic Properties Form

1. Name of I	ES 10							
	Property	(indicate preferred na	ame)					
historic	Crout House							
other								
2. Location								
street and number	909 Old Harris l	Mill Road				3	not for	publication
city, town	Parkton						vicinity	
county	Baltimore Coun	ty						
3. Owner of	Property	(give names and mailing	addresse	s of all	owners			
name	Joseph P. Ciofar	ni						
street and number	909 Old Harris I	Mill Road				telephone	Not Ava	ilable
city, town	Parkton		state	MD		zip code	21120	
Contri Contri Deteri Deteri Recor	ibuting Resource in ibuting Resource in mined Eligible for the mined Ineligible for rided by HABS/HAE ic Structure Report	Additional Data  National Register District Local Historic District he National Register/Marylan the National Register District	d Registe and Regis					
Contri Contri Deteri	ibuting Resource in ibuting Resource in mined Eligible for the mined Ineligible for rided by HABS/HAE ic Structure Report	n National Register District n Local Historic District he National Register/Marylan the National Register/Maryla R	d Registe and Regis					

7.	Des	crip	otion

Inventory No. BA-2398

#### Condition

excellent	deteriorated
X good	ruins
fair	altered

Prepare both a one paragraph summary and a comprehensive description of the resource and its various elements as it exists today.

Constructed in 1892, this wood frame Queen Anne-style dwelling faces west towards the Interstate 83. It is sited on a large sloping property surrounded by fields, mature trees, wood rail fences, and landscaping around the house. The single-family dwelling rises two-and-a-half stories in height, rests on a solid random rubble foundation, and is five bays wide with two interior-end brick corbeled cap chimneys. A shed roof porch covers the center three bays including the central entrance and is supported with turned wood posts. The porch is detailed with spindlework and scroll-sawn brackets. The entry contains a single-leaf wood door with arched molded panels. The entrance is illuminated with 3-light sidelights over a dado panel and a 3-light transom. The first story is pierced with four elongated 4/4 double-hung wood sash replacement windows. The second story contains five 2/2 double-hung wood sash windows, and the upper story has a cross gable roof which is lighted with a lancet-arched 2/2 double-hung wood sash window. The gables are clad with fishscale wood shingles. The side gable roof features overhanging eaves, a boxed cornice encased with aluminum, and is clad with standing-seam metal. Several one-story additions have been made to the side elevation.

Two historic outbuildings, five non-historic outbuildings and one non-historic well enhance this property. A circa 1900 bank barn is located to the west of the house. It is one-and-a-half stories high standing on a solid random rubble stone foundation. The wood frame building is reclad with vertical boards and is four bays wide. Two 2-leaf vertical-board sliding-doors, and two fixed wood 1-light windows pierce the south elevation. The side elevation contains wood louvered vents with pointed arch surrounds. The barn is capped with a side gable roof covered with standing-seam metal. A wood frame tack house, constructed circa 1940, in the same vicinity as the barn, is one story high with 2-light sliding windows and a 1-leaf metal door. The gable roof is clad with standing-seam metal, and the building is clad with vertical boards. Non-historic outbuildings include a tractor shed, two hay sheds, stable, barn, well, and a horse ring. The tractor shed is metal clad with four open bays and topped with a side-gable standing-seam metal roof. Both hay sheds, constructed circa 1980, are clad with standing-seam metal, and have one open side two bays wide. They both are capped with a shed roof with a overhang, which is covered with standing-seam metal. The stable, constructed circa 1980, is covered with a front gable roof and has a center sliding door. The roof and walls are clad with standing-seam metal. The large barn in a field north of the house, was constructed circa 1980 and has a front gable roof. The walls and roof are clad with standing-seam metal. A well, next to the driveway close to the house, has a metal pump with a random rubble stone base. The horse ring is enclosed with a wood fence.

8. Signification	ance			Inventory No. BA-2398
Period	Areas of Significance	Check and j	ustify below	
1600-1699 1700-1799 _X 1800-1899 _X 1900-1999 2000-	agriculture archeology X architecture art commerce communications community planning conservation	<ul> <li>economics</li> <li>education</li> <li>engineering</li> <li>entertainment/</li> <li>recreation</li> <li>ethnic heritage</li> <li>exploration/</li> <li>settlement</li> </ul>	health/medicine industry invention landscape architectu law literature maritime history military	performing arts philosophy politics/government ure religion science social history transportation other:
Specific dates	1892		Architect/Builder U	nknown
Construction da	ites 1892			
Evaluation for:				
s <del></del>	National Register		Maryland Register	Xnot evaluated

Prepare a one-paragraph summary statement of significance addressing applicable criteria, followed by a narrative discussion of the history of the resource and its context. (For compliance projects, complete evaluation on a DOE Form – see manual.)

The Crout House is located at 909 Old Harris Mill Road in Maryland Line in the Seventh District of Baltimore County. An inscription on a door of the house reads, "Built 1892 by C. & W. Crout." The 1915 Bromley Atlas confirms the continued residence of the Crout family, listing L. Crout as the occupant. The town of Maryland Line was settled in the late 18<sup>th</sup> century as New Market. Since the early 20<sup>th</sup> century, however, that name has fallen out of use in preference for the name of Maryland Line, after the area post office and its location near the Pennsylvania line. The town was laid out along the York Road corridor, with the majority of its residential and commercial structures fronting that road. There appears to have been little industry in and around the town. Records indicate that there existed only one gristmill west of the town along the Gunpowder Falls in the late 19<sup>th</sup> century, yet there were at least fourteen houses by 1877 in this small community south of the Pennsylvania line. The importance of the town, therefore, was as a travelers stop along the turnpike.

<sup>&</sup>lt;sup>1</sup>S. B. Clemens and C. E. Clemens, From Marble Hill to Maryland Line: An Informal History of Northern Baltimore County (np. C. E. Clemens and S. B. Clemens, 1976), p. 22.

#### 9. Major Bibliographical References

Inventory No. BA-2398

Atlas of Baltimore County, Maryland. Philadelphia, PA: G. M. Hopkins, 1877.

Baltimore County Historic Inventory.

Brooks, Neal A. and Eric G. Rockel. A History of Baltimore County. Towson, MD: Friends of the Towson Library, Inc., 1979. Map of Baltimore County. Philadelphia, PA: G. W. Bromley, 1915.

Scharf, J. Thomas. History of Baltimore City and County From the Earliest Period to the Present Day: Including Biographical Sketches of Their Representative Men. Philadelphia, PA: Louis H. Everts, 1881. Reprinted by Higginson Book Company, Salem, MA.

Sidney, J. C. Map of the City and County of Baltimore, Maryland, from Original Surveys. Baltimore, MD: James M. Stephens, 1850.

## 10. Geographical Data

Acreage of surveyed property	4.45 Acres		
Acreage of historical setting	Unknown		
Quadrangle name	New Freedom	Quadrangle scale:	1:24,000

#### Verbal boundary description and justification

The Crout House is located at 909 Old Harris Mill Road near Parkton in the Seventh District of Baltimore County. It has historically been associated with tax map 3, parcel 101 since its construction in 1892.

### 11. Form Prepared by


name/title	R. Weidlich and K. Baynard, Architectural Historians			
organization	EHT Traceries, Incorporated	date	February 11, 2002	
street & number	1121 5th Street NW	telephone	202.393.1199	
city or town	Washington	state	DC	

The Maryland Inventory of Historic Properties was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to:

Maryland Historical Trust DHCD/DHCP 100 Community Place Crownsville, MD 21032-2023 410-514-7600





BA-2398 CROUT HOUSE BACTIMORE COUNTY NO NHT

TRACERIES 2/2002

SOUTH CORNER



BA-2398
CROUT HOUSE
BALTIMORE COUNTY, MD
2/2002
NHT
NORTHWEST ELEVATION



BA-2398

CROUT HOUSE

BALTIMORE COUNTY, ND

2/2002

MHT

NORTHEAST ELEVATION



BA-2398 CROUT HOUSE BALTIMORE COUNTY, ND 2/2002 MHT SOUTHEAST ELEVATION



CROUT HOUSE
BALTIMORE COUNTY, MD

2/2002
MHT
OUTBUILDINGS, VIEW LOOKING EAST

5 16

BA-2398

2398 CROUT HOUSE - 1892 - 909 Harris Mill Road, Maryland Line. Five-bay, 2-1/2 story, frame and clapboard, cross-gabled Victorian Gothic Revival house with large white composition shingles.

The main gable peak window is pointed in the "Gothic" style. Most windows are 2-over-2. The house contains an inscription on a sliding door: "Built 1892 by C. & W. Crout." The house also contains a mantel with a scroll-sawn 1892 date.

The house features a central stair with massive oak newell post and polished bannister of oak, curved at the second story landing. A second stair serves the finished attic level. The front door has two round-topped panels and two rectangular panels on the outside surface, four rectangular panels on the inside surface. The door is flanked by three stained glass panes, topped by two colored lights and a long clear transom light.

The interior features include "picture frame" door frames with \_\_\_\_\_\_ mouldings. The kitchen is lined with wainscoting. There are a number of bracketed shelves throughout the house, and wooden mantels. Holes are provided for stove pipes.

The most notable feature of the house in 1988 was the survival of original stained and varnished surfaces, including illustrations and faux graining patterns worked into the interior doors. This house had no central heating or plumbing in 1988. Its wall paper was peeling off, but there was only an occasional crack in the plaster. The house is supported by a full-width transverse beam about 9 inches square under the first floor. The full, open cellar is earth-floored.

The old ruinous house on this property is to the east, of frame and chestnut siding, with a primitive stairway tucked into the space next to the fireplace. This room has a plain but elegant fire place and some paneling. There is also a purely decorative mantel installed in other first-story room; that mantel is of a classical design, possibly Federal. The old house is probably the Kennedy house shown on the 1877 atlas plate of District 7.

(The main house is on Sheet 39-B-NW of the 200-scale maps; 410 feet east of I-83; 1,320 feet east of No. 21525 York Road in Maryland Line village.)

SECRIMED

